

Indexes to CORROSION

Vol. 53, Nos. 1-12

Title Index

January (No. 1)

- Characterization of Biofilms Formed on Gold in Natural Seawater by Oxygen Diffusion Analysis
E.L. Hostis, C. Compère, D. Festy, B. Tribollet, C. Deslouis .. 4
- Photoelectrochemical Study of Pitting on Iron in Borate Buffer Solution Containing Inhibitor
M. Yang, L. Chen, S. Cai 11
- Anodic Behavior of Copper in Chloride/Tolytriazole and Chloride/Benzotriazole Solutions
D. Tromans, J.C. Silva 16
- Critical Crevice Temperature for High-Alloyed Stainless Steels in Chlorinated Seawater Applications
U. Steinsmo, T. Rogné, J.M. Drugli, P.O. Gartland 26
- Adsorption of Water on Copper, Nickel, and Iron
S. Lee, R.W. Staehle 33
- Real-Solution Stability Diagrams: A Thermodynamic Tool for Modeling Corrosion in Wide Temperature and Concentration Ranges
A. Anderko, S.J. Sanders, R.D. Young 43
- Evaluation of Localized Corrosion of Zirconium in Acidic Chloride Solutions
J. Fahey, D. Holmes, T.-L. Yau 54
- Technical Note:** Tall Oil Fatty Acid Anhydrides as Corrosion Inhibitor Intermediates
E.R. Fischer, J.E. Parker, III 62
- Threshold Steel Corrosion Rates for Durability Problems in Reinforced Structures
J.A. González, S. Feliu, P. Rodríguez 65
- Management of Corrosion in the Arun Field
L.M. Riekels, R.V. Seetharam, R.M. Krishnamurthy, C.F. Kroen, J.L. Pacheco, R.H. Hausler, N. Kaczorowski, V.A.W. Semerad 72

February (No. 2)

- Detection of Hidden Corrosion of Aircraft Aluminum Alloys by Magnetometry Using a Superconducting Quantum Interference Device
D. Li, Y. Ma, W.F. Flanagan, B.D. Lichter, J.P. Wikswo, Jr. . 93
- Experimental Study of Hydrogen Diffusion Behaviors in Stress Fields
G.F. Guan 99
- Cavitation Corrosion of Duplex Stainless Steel in Seawater
A. Al-Hashem, P.G. Caceres, A. Abdullah, H.M. Shalaby 103
- Repassivation and Crack Propagation of Alloy 600 in 288°C Water
T.M. Angelini, P.L. Andresen, M.L. Pollick 114
- Pitting Resistance of Alloy 800 as a Function of Temperature and Prefilming in High-Temperature Water
B. Stelluag 120
- Crack Initiation Mechanisms for Corrosion Fatigue of Austenitic Stainless Steel
Y.R. Qian, J.R. Cahoon 129
- Effect of Microbiologically Influenced Corrosion on the Tensile Stress-Strain Response of Aluminum and Alumina-Particle Reinforced Aluminum Composite
R.U. Vaidya, D.P. Butt, L.E. Hersman, A.K. Zurek 136
- Corrosion Characteristics of Chromated Zinc in Sodium Chloride Solutions
D. Bućinskienė, D. Virbalytė, A. Sudavičius, E. Juzeliūnas 142

- Effect of Hydrogen Content on Threshold Stress Intensity Factor in Carbon Steel in Hydrogen-Assisted Cracking Environments
Y. Yamaguchi, H. Nonaka, K. Yamakawa 147
- Statistical Analyses of Field Corrosion Data for Ductile Cast Iron Pipes Buried in Sandy Marine Sediments
F. Kajiyama, Y. Koyama 156
- Buffering and Inhibition of Glycol in Gas Dehydration Applications: An Alternative to Amines
B.A. Steffl, S.F. Bosen 163

March (No. 3)

- Behavior of Copper in Acidic Sulfate Solution: Comparison with Acidic Chloride
D. Tromans, J.C. Silva 171
- Anodic Dissolution and Protection of Aluminum Alloy 7075 in Hydroxide Solutions
E. McCafferty, P. Trzaskoma-Paulette 179
- Grey Relational Analysis of Amine Inhibition of Mild Steel Corrosion in Acids
P. Li, T.C. Tan, J.Y. Lee 186
- Bulk Acoustic Wave Technique as a Real-Time Corrosion Probe in Low-Conductivity Solution: In-Situ Corrosion Behavior of Copper in Acetic Acid
S.-Z. Yao, J.-H. Chen, L.-H. Nie 195
- Hydrogen-Induced Embrittlement Wear of a High-Strength, Low-Alloy Steel in an Acidic Environment
T.-C. Zhang, X.-X. Jiang, S.-Z. Li 200
- Assessing Performance of Painted Carbon and Weathering Steels in an Industrial Atmosphere
J.H. Wang, F.I. Wei, H.C. Shi 206
- Effect of Chlorides on Reinforcing Steel Exposed to Simulated Concrete Solutions
C.J. Kitowski, H.G. Wheat 216
- Large-Scale Wet Hydrogen Sulfide Cracking Performance: Evaluation of Metallurgical, Mechanical, and Welding Variables
M.S. Cayard, R.D. Kane 227
- Effects of Cathodic Protection on Duplex Stainless Steels in Seawater
R. Francis, G. Byrne, G.R. Warburton 234
- Corrosion Prevention of Waterwall Tube by Field Metal Spraying in Municipal Waste Incineration Plants
Y. Kawahara, M. Kira 241

April (No. 4)

- Mathematical Models for Cathodic Protection of an Underground Pipeline with Coating Holidays: Part I — Theoretical Development
M.E. Orazem, J.M. Esteban, K.J. Kennelley, R.M. Degerstedt 264
- Design Aspects of Electrochemical Noise Measurements for Uncoated Metals: Electrode Size and Sampling Rate
P.C. Pistorius 273
- Effect of Chloride Ions on Adsorption and Permeation of Hydrogen in Iron
A.M. Allam, B.G. Ateya, H.W. Pickering 284
- Effects of Temperature and Potential on the Inhibitive Action of Oxoacid Salts for Pitting in High-Temperature Chloride Solutions
H. Yashiro, A. Oyama, K. Tanno 290

- Aspects of Fracture Morphology Exhibited in the Stress Corrosion Behavior of Ti-155 in Methanol-Hydrochloric Acid Solution
D.J. Simbi, J.C. Scully 298
- Intergranular Stress Corrosion Crack Growth of Sensitized Type 304 Stainless Steel in a Simulated Boiling-Water Reactor Environment
E. Kikuchi, M. Itow, J. Kuniya, H. Sakamoto, M. Yamamoto, A. Sudo, S. Suzuki, M. Kitamura 306
- Reaction Mechanism of Preoxidized Nickel-Chromium-Cerium Alloy with Chlorine Gas in the Temperature Range 400°C to 700°C
J.P. Tu, Z.Z. Li, Z.Y. Mao 312
- Spectroscopic Investigations on the Inhibition Mechanism of Propargyl Alcohol for Iron Corrosion in Hydrochloric Acid at Elevated Temperatures
K. Aramaki, E. Fujioka 319
- Dissolution of Zirconium in Nitric-Hydrofluoric Acid Mixtures
R. Klein 327
- Empirical Learning Investigations of the Stress Corrosion Cracking of Austenitic Stainless Steels in High-Temperature Aqueous Environments
C.P. Sturrock, W.F. Bogaerts 333
-
- May (No. 5)**
- Electrochemical Impedance Spectroscopy as a Method to Evaluate Coated Aluminum Beverage Containers — Part 2: Statistical Analysis of Performance
J.A. Grandle, S.R. Taylor 347
- Stress Corrosion Cracking of Fe3Al and Fe-16% Al Alloys
J.G. Kim, R.A. Buchanan 356
- High-Temperature Corrosion of Nickel-Chromium Alloys in Flowing Chlorine-Water Vapor Environments
J.P. Tu 365
- Effect of Sodium Sulfide on Hydrogen Absorption of Ti-6% Al-4% V Alloy
T.I. Wu, C.T. Liu, J.K. Wu 374
- Short-Term Deterioration of Polymer-Coated 55% Al-Zn — Part 1: Behavior of Thin Polymer Films
S.F. Mertens, C. Xhoffer, B.C. De Cooman, E. Temmerman 381
- Corrosion Mechanisms and Products of Copper in Aqueous Solutions at Various pH Values
Y. Feng, K.-S. Siow, W.-K. Teo, K.-L. Tan, A.-K. Hsieh 389
- Bond Strength of Electrochemically Aged Arc-Sprayed Zinc Coatings on Concrete
B.S. Covino, Jr., S.J. Bullard, G.R. Holcomb, S.D. Cramer, G.E. McGill, C.B. Cryer 399
- Collection of Electrochemical Impedance and Noise Data for Polymer-Coated Steel from Remote Test Sites
H. Xiao, L.T. Han, C.C. Lee, F. Mansfeld 412
-
- June (No. 6)**
- Mathematical Models for Cathodic Protection of an Underground Pipeline with Coating Holidays: Part 2 — Case Studies of Parallel Anode Cathodic Protection Systems
M.E. Orazem, J.M. Esteban, K.J. Kennelley, R.M. Degerstedt 427
- Technical Note:** Role of Imidazolone Derivatives in Corrosion Inhibition of Pure Aluminum in Hydrochloric Acid Solution
S.S. Mahmoud, G.A. El-Mahdy 437
- Method for Studying Stabilization of Localized Corrosion on Carbon Steel by Sulfate-Reducing Bacteria
X. Campaignolle, J.-L. Crolet 440
- Effects of Stress and Temperature on Stress Corrosion Cracking of Austenitic Stainless Steels in Concentrated Magnesium Chloride Solutions
X.-C. Jiang, R.W. Staehle 448
- Slow Strain Rate Testing of Aluminum Alloy 7050 in Different Tempers Using Various Synthetic Environments
R. Braun 467
- Influence of Heterocyclic Anils on Corrosion Inhibition and Hydrogen Permeation Through Mild Steel in Acid Chloride Environments
M.A. Guraishi, M.A.W. Khan, M. Ajmal, S. Muralidharan, S.V. Iyer 475
- Hydrogen Diffusion and Accumulation in Automotive Fasteners
R.B. Rebak, L. Muchjin, Z. Szklarska-Smialowska 481
- Corrosion Surveys of Prestressed Bridge Members Using a Half-Cell Potential Technique
V. Novokshchenov 489
- Hydrogen Embrittlement of Type 410 Stainless Steel in Sodium Chloride, Sodium Sulfate, and Sodium Hydroxide Environments at 90°C
J.G. Gonzalez-Rodriguez, V.M. Salinas-Bravo, A. Martinez-Villafañe 499
-
- July (No. 7)**
- Influence of Chromium Content on Corrosion of Plasma-Nitrided Steels
K. Venkatesan, C. Subramanian, L.K. Green, K.N. Strafford 507
- Transgranular Stress Corrosion Cracking of Low-Alloy Steels in Diluted Solutions
G. Gabetta 516
- Corrosion and Polarization Behavior of Sensitized High-Nitrogen Stainless Steels
B.S. Covino, Jr., S.D. Cramer, J.H. Russell, J.W. Simmons 525
- Susceptibility of Sensitized Type 304 Stainless Steel to Intergranular Stress Corrosion Cracking in Simulated Boiling-Water Reactor Environments
N. Saito, E. Kikuchi, H. Sakamoto, J. Kuniya, S. Suzuki 537
- Synergistic Effects Between Sodium Tripolyphosphate and Zinc Sulfate in Corrosion Inhibition for Copper in Neutral Tap Water
Y. Feng, K.-S. Siow, W.-K. Teo, K.-L. Tan, A.-K. Hsieh 546
- Pitting Behavior of Aluminum Ion Implanted with Nitrogen
E. McCafferty, P.M. Natishan, G.K. Hubler 556
- Electronic Properties of Passive Films Grown on Al 7075 in Solutions Containing Oxalate and Chlorate
L. Kobotakis, N. Kioupis, P.G. Koutsoukos 562
- Use of Impedance Spectroscopy to Characterize Lining Performance in Simulated Flue Gas Desulfurization Systems
A. Miszczyk, K. Darowicki, Z. Klenowicz 572
- Cyclic Crack Growth Rates of X-60 Pipeline Steel in a Neutral Dilute Solution
T.M. Ahmed, S.B. Lambert, R. Sutherby, A. Plumtree 581
-
- August (No. 8)**
- Effects of Misaligned Pipe-Wall Working Electrodes on Electrochemical Corrosion Rate Measurements in Pipes
J. Postlethwaite, Y. Wang, D.J. Bergstrom 595
- Potential-pH Diagrams for Iron in Supercritical Water
L.B. Kriksunov, D.D. Macdonald 605
- Effects of Thiosulfate on Susceptibility of Type 316 Stainless Steel to Stress Corrosion Cracking in 3.5% Aqueous Sodium Chloride
E.A. Ashour, E.A. Abd El Meguid, B.G. Ateya 612
- Molecular Orbital Theoretical Studies of Some Organic Corrosion Inhibitors
V.S. Sastri, J.R. Perumareddi 617
- Pitting Corrosion Behavior of Type 904L Stainless Steel in Sodium Bromide Solutions
E.A. Abd El Meguid 623

- Effects of Potential and Stress on Stress Corrosion Cracking of Austenitic Stainless Steels in Concentrated Chloride Solutions
X.-C. Jiang, R.W. Staehle 631
- Water Staining of Al 3104-H19 Can Body Stock: A Crevice Corrosion Study Utilizing the Double Crevice Assembly Test Method
B.J. Connolly, R.S. Lillard, J.R. Scully, G.E. Stoner 644
- Organic Corrosion Inhibitors in Neutral Solutions: Part 1 — Inhibition of Steel, Copper, and Aluminum by Straight Chain Carboxylates
G.T. Heftler, N.A. North, S.H. Tan 657

September (No. 9)

- Technical Note:** Observations Regarding the Effects of Nitrogen Addition to the Aluminum-Tungsten System by Reactive Sputter Deposition
E.L. Principe, B.A. Shaw 675
- Inhibition of Iron Corrosion in Sulfuric Acid at Elevated Temperatures by Bismuth(III) Compounds
K. Nakai, H. Nishihara, K. Aramaki 679
- Monitoring Pitting Corrosion by Holographic Interferometry
K. Habib, F. Al-Sabti 688
- Use of Electrochemical Potential Noise to Detect Initiation and Propagation of Stress Corrosion Cracks in a 17-4 PH Steel
J.G. González-Rodríguez, V.M. Salinas-Bravo, E. García-Ochoa, A. Díaz-Sánchez 693
- Hydrogen Uptake and Cracking in 22% Cr Duplex Stainless Steel Under Galvanic Coupling Conditions
A.J. Griffiths, A. Turnbull 700
- Filiform Corrosion Morphologies on Painted Aluminum Alloy 3105 Coil Material
H. Leth-Olsen, K. Nisançioğlu 705
- Passivity of Corrosion-Resistant Alloys in Environments Containing Chloride and Hydrogen Sulfide
K. Denpo, H. Ogawa 718
- Effect of Lithium Hydroxide on Stability of Fuel Cladding Oxide Film in Simulated Pressurized Water Reactor Primary Water Environments
T. Saario, S. Tähtinen, J. Pippo 724
- Effects of Implanted and Solute Arsenic Ion on Stress Corrosion Cracking of Generator Retaining Ring Steel in Nitrate Solution
H. Jin, J.C. Jin, C.L. Wu 730
- Electrochemical Behavior of Steel in Concrete and Evaluation of the Corrosion Rate
K. Videm, R. Myrdal 734
- Stress Corrosion Behavior of Alloy 718 Single Crystals in a Light-Water Reactor Environment
S. Floren 743

October (No. 10)

- Crevice Corrosion Propagation on Alloy 625 and Alloy C276 in Natural Seawater
E. McCafferty, F.D. Bogar, E.D. Thomas, II, C.A. Creegan, K.E. Lucas, A.I. Kaznoff 755
- Hydrogen Accumulation and Hydrogen-Induced Cracking of API C90 Tubular Steel
G.-H. Yu, Y.-H. Cheng, L. Chen, L.-J. Qiao, Y.-B. Wang, W.-Y. Chu 762
- Modeling of Certain Electrode Parameters on the Electrochemical Noise Response
M. Danielson 770
- Correlation of Intergranular Stress Corrosion Cracking Susceptibility with Mechanical Response of Irradiated, Thermally Sensitized Type 304 Stainless Steel
T. Onchi, K. Hide, M. Mayuzumi, K. Dohi, T. Niho 778

- Using Fourier Transform Infrared Analysis to Detect Corrosion Products on the Surface of Metals Exposed to Atmospheric Conditions
A.K. Neufeld, I.S. Cole 788
- Transient Current Response of Iron-Nickel-Chromium Alloy Rotating Cylindrical Electrodes Scribed with a Dropped Stylus
C.A. Odegard, A. Bronson 800
- X-Ray Photoelectron Spectroscopic Study of the Oxide Film on an Aluminum-Tin Alloy in 3.5% Sodium Chloride Solutions
A. Venugopal, P. Veluchamy, P. Selvam, H. Minoura, V.S. Raja 808
- Failure of Tungsten Carbide-Cobalt Lamination Dies: A Corrosion Evaluation
S.P. Pednekar 813
- Modeling the Failure of Nuclear Waste Containers
D.W. Shoesmith, B.M. Ikeda, D.M. LeNeveu 820

November (No. 11)

- Evaluation of Steel Corrosion Products in Tropical Climates
A. Rincón, O.T. de Rincón, C. Haces, N.R. Furet, F. Corvo 835
- Investigation of Corrosion and Stability of Lead-Brass Alloy in Acid and Neutral Solutions Using Electrochemical Impedance Spectroscopy
W.A. Badawy, S.S. El-Egamy, A.S. Azab 842
- Development of a Predictive Model for Activation-Controlled Corrosion of Steel in Solutions Containing Carbon Dioxide
B. Mishra, S. Al-Hassan, D.L. Olson, M.M. Salama 852
- Electrochemical Noise Resistance as a Tool for Corrosion Rate Prediction
G. Gusmano, G. Montesperelli, S. Pacetti, A. Petitti, A. D'Amico 860
- On the Activation Energy in the Chemical-Mechanical Correlation Model
X.-C. Jiang, R.W. Staehle 869
- Corrosion Behavior of Aluminum Composite Coatings
R.L. Deuts, L. Green, C. Subramanian, J.M. Yellup 880
- Long-Term Effects of Cathodic Protection on Prestressed Concrete Structures: Hydrogen Embrittlement of Prestressing Steel
D.G. Enos, A.J. Williams, Jr., J.R. Scully 891

December (No. 12)

- A Message from the President: The NACE Commitment to Corrosion and to CORROSION
Robert Puyear IFC
- LKP Model of the Inhibition Mechanism of Thiourea Compounds
I. Lukovits, K. Pálfi, I. Bakó, E. Kálmán 915
- Corrosion Protection of Aluminum Metal-Matrix Composites
H.J. Greene, F. Mansfeld 920
- Stochastic Analysis of Current Fluctuations During General Corrosion of Stainless Steel in Sulfuric Acid
A. Petek, V. Doleček, V. Vlady 928
- Hydrogen-Induced Crack Growth Rate in Steel Plates Exposed to Sour Environments
J.L. Gonzalez, R. Ramirez, J.M. Hallen, R.A. Guzman 935
- Corrosion Behavior of Rapidly Solidified Magnesium-Aluminum-Zinc Alloys
D. Daloz, P. Steinmetz, G. Michot 944
- Aspects of Testing and Selecting Stainless Steels for Seawater Applications
U. Steinmo, T. Rogne, J. Drugli 955
- Corrosion and Passivity of Ti-13% Nb-13% Zr in Comparison to Other Biomedical Implant Alloys
S.Y. Yu, J.R. Scully 965
- Corrosion Readers Say Journal's Quality Is High, But Engineering Coverage Should Be Expanded 990

Author Index

A

Abd El Meguid, E.A., 612, 623
 Abdullah, A., 103
 Ahmed, T.M., 581
 Ajmal, M., 475
 Al-Hashem, A., 103
 Al-Hassan, S., 852
 Al-Sabti, F., 688
 Allam, A.M., 284
 Anderko, A., 43
 Andresen, P.L., 114
 Angeliu, T.M., 114
 Aramaki, K., 319, 679
 Ashour, E.A., 612
 Ateya, B.G., 284, 612
 Azab, A.S., 842

B

Badawy, W.A., 842
 Bakó, I., 915
 Bergstrom, D.J., 595
 Bogaerts, W.F., 333
 Bogar, F.D., 755
 Bosen, S.F., 163
 Braun, R., 467
 Bronson, A., 800
 Buchanan, R.A., 356
 Bucinskienė, D., 142
 Bullard, S.J., 399
 Butt, D.P., 136
 Byrne, G., 234

C

Caceres, P.G., 103
 Cahoon, J.R., 129
 Cai, S., 11
 Campaignolle, X., 440
 Cayard, M.S., 227
 Chen, J.-H., 195
 Chen, L., 11, 762
 Cheng, Y.-H., 762
 Chu, W.-Y., 762
 Cole, I.S., 788
 Compère, C., 4
 Connolly, B.J., 644
 Corvo, F., 835
 Covino, B.S., Jr., 399, 525
 Cramer, S.D., 399, 525
 Creegan, C.A., 755
 Crolet, J.-L., 440
 Cryer, C.B., 399

D

Daloz, D., 944
 D'Amico, A., 860
 Danielson, M., 770
 Darowicki, K., 572
 De Cooman, B.C., 381
 De Rincón, O.T., 835
 Degerstedt, R.M., 264, 427
 Denpo, K., 718
 Deslouis, C., 4
 Deuis, R.L., 880
 Diaz-Sánchez, A., 693
 Dohi, K., 778
 Doleček, V., 928
 Drugli, J., 955
 Drugli, J.M., 26

E

El-Egamy, S.S., 842
 El-Mahdy, G.A., 437
 Enos, D.G., 891
 Esteban, J.M., 264, 427

F

Fahey, J., 54
 Feliu, S., 65
 Feng, Y., 389, 546
 Festy, D., 4
 Fischer, E.R., 62
 Flanagan, W.F., 93
 Floreen, S., 743
 Francis, R., 234
 Fujioka, E., 319
 Furet, N.R., 835

G

Gabetta, G., 516
 Garcia-Ochoa, E., 693
 Gartland, P.O., 26
 Gonzalez, J.A., 65
 Gonzalez, J.L., 935
 González-Rodríguez, J.G., 499, 693
 Grandie, J.A., 347
 Green, L., 880
 Green, L.K., 507
 Greene, H.J., 920
 Griffiths, A.J., 700
 Gusmano, G., 860
 Guzman, R.A., 935

H

Habib, K., 688
 Haces, C., 835
 Hallen, J.M., 935
 Han, L.T., 412
 Hausler, R.H., 72
 Heftner, G.T., 657
 Hersman, L.E., 136
 Hide, K., 778
 Holcomb, G.R., 399
 Holmes, D., 54
 Hsieh, A.-K., 389, 546
 Hubler, G.K., 556

I

Ikeda, B.M., 820
 Itow, M., 306
 Iyer, S.V., 475

J

Jiang, X.-C., 448, 631, 869
 Jiang, X.X., 200
 Jin, H., 730
 Jin, J.C., 730
 Juzeliūnas, E., 142

K

Kaczorowski, N., 72
 Kajiyama, F., 156
 Kálmán, E., 915
 Kane, R.D., 227
 Kawahara, Y., 241
 Kaznoff, A.I., 755
 Kennelley, K.J., 264, 427

Khan, M.A.W., 475
 Kikuchi, E., 306, 537
 Kim, J.G., 356
 Kioupis, N., 562
 Kira, M., 241
 Kitamura, M., 306
 Kitowski, C.J., 216
 Klein, R., 327
 Klenowicz, Z., 572
 Kobotiatis, L., 562
 Koutsoukos, P.G., 562
 Koyama, Y., 156
 Kriksunov, L.B., 605
 Krishnamurthy, R.M., 72
 Kroen, C.F., 72
 Kuniya, J., 306, 537

L

Lambert, S.B., 581
 Lee, C.C., 412
 Lee, J.Y., 186
 Lee, S., 33
 LeNeveu, D.M., 820
 Leth-Olsen, H., 705
 L'Hostis, E., 4
 Li, D., 93
 Li, P., 186
 Li, S.Z., 200
 Li, Z.Z., 312
 Lichter, B.D., 93
 Lillard, R.S., 644
 Liu, C.T., 374
 Lucas, K.E., 755
 Lukovits, I., 915

M

Ma, Y., 93
 Macdonald, D.D., 605
 Mahmoud, S.S., 437
 Mansfield, F., 412, 920
 Mao, Z.Y., 312
 Martínez-Villafañe, A., 499
 Mayuzumi, M., 778
 McCafferty, E., 179, 556, 755
 McGill, G.E., 399
 Mertens, S.F., 381
 Michot, G., 944
 Minoura, H., 808
 Mishra, B., 852
 Miszczyk, A., 572
 Montesperelli, G., 860
 Muchjin, L., 481
 Muralidharan, S., 475
 Myrdal, R., 734

N

Nakai, K., 679
 Natishan, P.M., 556
 Neufeld, A.K., 788
 Nie, L.-H., 195
 Niho, T., 778
 Nisancioglu, K., 705
 Nishihara, H., 679
 Nonaka, H., 147
 North, N.A., 657
 Novokshchenov, V., 489

O

Odegard, C.A., 800

Ogawa, H., 718
 Olson, D.L., 852
 Onchi, T., 778
 Orazem, M.E., 264, 427
 Oyama, A., 290

P

Pacetti, S., 860
 Pacheco, J.L., 72
 Pálfi, K., 915
 Parker, J.E., III, 62
 Pednekar, S.P., 813
 Perumareddi, J.R., 617
 Petek, A., 928
 Pettiti, A., 860
 Pickering, H.W., 284
 Piippo, J., 724
 Pistorius, P.C., 273
 Plumtree, A., 581
 Pollock, M.L., 114
 Postlethwaite, J., 595
 Principe, E.L., 675

Q

Qian, Y.R., 129
 Qiao, L.-J., 762
 Quan, G.F., 99
 Quraishi, M.A., 475

R

Raja, V.S., 808
 Ramirez, R., 935
 Rebak, R.B., 481
 Rieckels, L.M., 72
 Rincón, A., 835
 Rodriguez, P., 65
 Rogne, T., 26, 955
 Russell, J.H., 525

S

Saario, T., 724
 Saito, N., 537
 Sakamoto, H., 306, 537
 Salama, M.M., 852
 Salinas-Bravo, V.M., 499, 693
 Sanders, S.J., 43
 Sastri, V.S., 617
 Scully, J.C., 298
 Scully, J.R., 644, 891, 965
 Seetharam, R.V., 72
 Selvam, P., 808
 Semerad, V.A.W., 72
 Shalaby, H.M., 103
 Shaw, B.A., 675
 Shih, H.C., 206
 Shoesmith, D.W., 820
 Silva, J.C., 16, 171
 Simbi, D.J., 298
 Simmons, J.W., 525
 Siow, K.-S., 389, 546
 Staehle, R.W., 33, 448, 631, 869
 Steff, B.A., 163
 Steinmetz, P., 944
 Steinsmo, U., 26, 955
 Stellwag, B., 120
 Stoner, G.E., 644
 Strafford, K.N., 507

Sturrock, C.P., 333
 Subramanian, C., 507, 880
 Sudavicius, A., 142
 Sudo, A., 306
 Sutherby, R., 581
 Suzuki, S., 306, 537
 Szklarska-Smialowska, Z., 481

T

Tähtinen, S., 724
 Tan, K.-L., 389, 546
 Tan, S.H., 657
 Tan, T.C., 186
 Tanno, K., 290
 Taylor, S.R., 347
 Temmerman, E., 381
 Teo, W.-K., 389, 546
 Thomas, E.D., II, 755
 Tribollet, B., 4
 Tromans, D., 16, 171
 Trzaskoma-Paulette, P., 179
 Tu, J.P., 312
 Turnbull, A., 700

U-V

Vaidya, R.U., 136
 Veluchamy, P., 808
 Venkatesan, K., 507
 Venugopal, A., 808
 Videm, K., 734
 Virbalytė, D., 142
 Vlachy, V., 928

W

Wang, J.H., 206
 Wang, Y., 595
 Wang, Y.-B., 762
 Warburton, G.R., 234
 Wei, F.I., 206
 Wheat, H.G., 216
 Wikswo, J.P., Jr., 93
 Williams, A.J., Jr., 891
 Wu, C.L., 730
 Wu, J.K., 374
 Wu, T.I., 374

X

Xhoffer, C., 381
 Xiao, H., 412

Y

Yamaguchi, Y., 147
 Yamakawa, K., 147
 Yamamoto, M., 306
 Yang, M., 11
 Yao, S.-Z., 195
 Yashiro, H., 290
 Yau, T.-L., 54
 Yellup, J.M., 880
 Young, R.D., 43
 Yu, G.-H., 762
 Yu, S.Y., 965

Z

Zhang, T.C., 200
 Zurek, A.K., 136

Subject Index

Symbols

- 2-salicylideneamino-6-chlorobenzothiazole**
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- 2-salicylideneamino-6-methoxybenzothiazole**
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- 2-salicylideneaminobenzothiazole**
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- 50Mn18Cr4**
generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

A

Absorption

- automotive fasteners, hydrogen diffusion, 481
- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- Ti-6% Al-4% V, effect of sodium sulfide, 374
- Acetic acid and solutions. See also Acids and acid solutions**
copper, bulk acoustic wave technique as a real-time corrosion probe, 195

Acid gas

- gas dehydration, buffering and inhibition of glycol, 163

Acid solutions and environments

- copper, anodic polarization behavior in acidic sulfate and chloride solutions, 171
- high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200
- type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129
- zirconium, localized corrosion, 54

Acidic chlorides

- zirconium, localized corrosion, 54

- Acids and acid solutions. See also Acetic acid and solutions; Boric acid and solutions; Dimer/trimer acids and solutions; Fatty acids; Hydrochloric acid and solutions; Hydrofluoric acid and solutions; Mineral acid and solutions; Nitric acid and solutions; Sulfuric acid and solutions**
iron aluminate and iron-aluminum alloys, stress corrosion cracking, 356
- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- lead-brass alloy, electrochemical impedance spectroscopy in acid and neutral solutions, 842
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- organic corrosion inhibitors, molecular orbital theoretical studies, 617
- thiourea compounds, LKP model of inhibition, 915

Activation

- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Activation energy

- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448
- chemical-mechanical correlation model, 869

Activity coefficients

- real-solution stability diagrams, modeling, 43

Adhesion

- Al 3105, filiform corrosion morphologies on painted coil material, 705
- zinc coatings, bond strength of electrochemically aged on concrete, 399

Adsorption

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
- mild steel, grey relational analysis of amine inhibition in acids, 186
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- water on copper, nickel, and iron, 33

Aeration

- cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

Aerospace applications and environments. See also Atmospheric corrosion

- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- alloy 718, stress corrosion of single crystals in a light-water reactor, 743
- aluminum metal-matrix composites, 920
- aluminum-magnesium-zinc alloys, rapidly solidified, 944
- high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

Aging

- Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

Akaganeite

- steel, corrosion products in tropical climates, 835

Al 2009

- aluminum metal-matrix composites, 920

Al 2014

- aluminum metal-matrix composites, 920

Al 2024

- aircraft aluminum alloys, detection of hidden corrosion using a SQUID magnetometer, 93

Al 3104-H19

- can body stock, double crevice assembly method to study water staining, 644

Al 3105

- filiform corrosion morphologies on painted coil material, 705

Al 5083

- aluminum composite coatings, corrosion behavior, 880

Al 6061

- aluminum and Al₂O₃-particle reinforced composite, microbial corrosion, 136
- aluminum metal-matrix composites, 920

Al 7050

- slow strain rate testing in different tempers using synthetic environments, 467

Al 7075

- anodic dissolution in hydroxide solutions, 179
- electronic properties of passive films in solutions with oxalate and chromate, 562

Alkaline solutions and environments

- Al 7075, anodic dissolution in hydroxide solutions, 179
- gas dehydration, buffering and inhibition of glycol, 163
- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284

Alloy 3104-H19

- aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347

Alloy 718

- stress corrosion of single crystals in a light-water reactor, 743

Alloy 800

- pitting resistance as a function of temperature and prefilming in high-temperature water, 120

Alloy A356

- aluminum metal-matrix composites, 920

Alloy A291

- aluminum-magnesium-zinc alloys, rapidly solidified, 944

Alloy C276

- crevice corrosion in natural seawater, 755

Alloy C625

- crevice corrosion in natural seawater, 755

Alloy K-500

- duplex stainless steel, cathodic protection in seawater, 234

- Alloys and alloying. See also Aluminum and aluminum alloys; Biomedical implant alloys; Brass and brass alloys; by name; by type; by UNS number; Cerium and cerium alloys; Chromium and chromium alloys; Cobalt and cobalt alloys; Copper and copper alloys; Corrosion-resistant alloys; Erbium and erbium alloys; Ferric and ferrous ions and alloys; Gold and gold alloys; High-alloy steel; High-strength, low-alloy steel; Hydrogen and hydrogen alloys; Iron and iron alloys; Lead and lead alloys; Low-alloy steel; Magnesium and magnesium alloys; Molybdenum and molybdenum alloys; Nickel and nickel alloys; Niobium and niobium alloys; Nitrogen and nitrogen alloys; Tin and tin alloys; Titanium and titanium alloys; Tungsten and tungsten alloys; Zinc and zinc alloys; Zirconium and zirconium alloys**

Alternating current. See also Current

- Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562
- aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347

Aluminum and aluminum alloys. See also Alloys and alloying

- activation energy, chemical-mechanical correlation model, 869
- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644
- Al 3105, filiform corrosion morphologies on painted coil material, 705
- Al 7075, anodic dissolution in hydroxide solutions, 179
- aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347
- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- aluminum ion implanted with nitrogen, pitting, 556
- aluminum metal-matrix composites, 920
- aluminum-magnesium-zinc alloys, rapidly solidified, 944
- aluminum-tin alloy, x-ray photoelectron spectroscopic study of the oxide film in sodium chloride, 808
- aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- atmospheric corrosion, Fourier transform infrared analysis, 788
- composite coatings, corrosion behavior, 880
- imidazolone derivatives, role of some in inhibition in hydrochloric acid, 437
- pitting corrosion, holographic interferometry, 688
- polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

Aluminum oxide and films. See also Oxides and oxide films

- aluminum composite coatings, corrosion behavior, 880
- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Amines

- gas dehydration, buffering and inhibition of glycol, 163
- mild steel, grey relational analysis of amine inhibition in acids, 186

Anhydrides

- tall oil fatty acid anhydrides, inhibitor intermediates, 62

Anils

- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475

Anion vacancies

- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Anodes

- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- underground pipelines with coating holidays, model for cathodic protection, 264
- zinc coatings, bond strength of electrochemically aged on concrete, 399

Anodic dissolution. See also Dissolution

- Al 7075, in hydroxide solutions, 179
- copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389
- high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

Anodic polarization. See also Polarization

- Al 7075, anodic dissolution in hydroxide solutions, 179
- alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- copper, polarization behavior in acidic sulfate and chloride solutions, 171
- type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Anodization and anodizing

- Al 3105, filiform corrosion morphologies on painted coil material, 705
- aluminum metal-matrix composites, 920

API 5L-X52 steel

- steel, hydrogen-induced crack growth rate in sour gas, 935

API C90 tubular steel

- hydrogen accumulation and hydrogen-induced cracking, 762

Aqueous corrosion. See also Corrosion

- austenitic stainless steel, empirical learning and stress corrosion cracking, 333
- organic corrosion inhibitors, molecular orbital theoretical studies, 617

Aqueous phase

- copper, nickel, and iron, water adsorption, 33

Aqueous solutions and environments

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389
- pitting corrosion, holographic interferometry, 688

Arc spraying

- zinc coatings, bond strength of electrochemically aged on concrete, 399

Architectural applications

- aluminum metal-matrix composites, 920

Area ratio

- electrochemical noise measurements for uncoated metals, design aspects, 273

Arsenic

- generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

Arun field

- corrosion management, 72

ASTM G 48 Test Method

- stainless steels, testing and selection for seawater applications, 955

Atmospheric corrosion. See also Aerospace applications and environments; Corrosion

- carbon and weathering steels, painted in industrial atmospheres, 206
- copper, nickel, and iron, water adsorption, 33
- Fourier transform infrared analysis to detect corrosion products on metals, 788
- steel, corrosion products in tropical climates, 835

Auger electron spectroscopy

- chromated zinc, corrosion characteristics in sodium chloride, 142
- corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

Austenitic stainless steel. See also by name; by type; by UNS number; Stainless steel

- activation energy, chemical-mechanical correlation model, 869
- aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- effects of stress and temperature on stress corrosion cracking in magnesium chloride solutions, 448
- empirical learning and stress corrosion cracking in high-temperature solutions, 333
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525
- potential and stress, effect on stress corrosion cracking in chloride solutions, 631
- type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Automotive applications and environments

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- aluminum metal-matrix composites, 920
- automotive fasteners, hydrogen diffusion, 481

B**Baking**

- automotive fasteners, hydrogen diffusion, 481

Band gap

- iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

Benzotriazole and solutions

- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16

Benzyl thiocyanate and solutions

- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

Beverage cans

- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644

BHS-1 steel

- automotive fasteners, hydrogen diffusion, 481

Bicarbonate and bicarbonate solutions

- cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

Biocompatibility

- biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

Biomedical implant alloys. See also Alloys and alloying

- corrosion and passivity of Ti-13% Nb-13% Zr, 965

Bismuth

- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

Blistering

- API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935
- API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762
- carbon and weathering steels, painted in industrial atmospheres, 206
- carbon steel, metallurgical, mechanical, and welding variables in wet H₂S cracking, 227

Boiling-water reactors. See also Reactors

- type 304 stainless steel, intergranular stress corrosion crack growth, 306
- type 304 stainless steel, intergranular stress corrosion cracking, 537

Bond strength

- waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- zinc coatings, bond strength of electrochemically aged on concrete, 399

Borate and borate solutions

- iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

Boric acid and solutions. See also Acids and acid solutions

- alloy 600, repassivation and crack propagation in 288°C water, 114
- in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724

Boundary element

- mathematical models for cathodic protection of underground pipelines with holidays, 427
- underground pipelines with holidays, model for cathodic protection, 264

Brass and brass alloys. See also Alloys and alloying

- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842

Breakdown potential. See also Potential

- duplex stainless steel, cavitation corrosion in seawater, 103

Bridges

- prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489
- zinc coatings, bond strength of electrochemically aged on concrete, 399

Buffer solutions

- carbon steel, effect of hydrogen content on threshold stress intensity, 147

Buffering

- gas dehydration, buffering and inhibition of glycol, 163

Bulk acoustic wave technique

- copper, bulk acoustic wave technique as a real-time corrosion probe, 195

C**C1020 steel**

- carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

Calcium hydroxide and solutions

- reinforcing steel, effect of chlorides in simulated concrete solutions, 216
- reinforcing steel, threshold corrosion rates for durability, 65

Capacitance

- Al 7075, electronic properties of passive film in solutions with oxalate and chromate, 562
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Capillary electrophoresis

- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644

Carbon dioxide and solutions

- carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440
- steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Carbon steel. See also by name; by type; by UNS number; Steel

- 22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling conditions, 700
- Arun field, corrosion management, 72
- carbon and weathering steels, painted in industrial atmospheres, 206
- hydrogen content, threshold stress intensity and hydrogen-assisted cracking, 147
- localized corrosion, stabilization of by sulfate-reducing bacteria, 440
- metallurgical, mechanical, and welding variables in wet H₂S cracking, 227
- tall oil fatty acid anhydrides, inhibitor intermediates, 62
- type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860
- waterwall tubes, field metal spraying in municipal waste incineration plants, 241

Carbonate and carbonate solutions

- atmospheric corrosion, Fourier transform infrared analysis, 788

Cathodic polarization. See also Polarization

- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Cathodic protection

- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808
- carbon and weathering steels, painted in industrial atmospheres, 206
- carbon steel, effect of hydrogen content on threshold stress intensity, 147
- duplex stainless steel, cavitation corrosion in seawater, 103
- duplex stainless steel, effects in seawater, 234
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
- underground pipelines with coating holidays, model for cathodic protection, 264
- zinc coatings, bond strength of electrochemically aged on concrete, 399

Cathodic reduction

- alloy 600, repassivation and crack propagation in 288°C water, 114
- copper, synergistic effects between sodium triphosphate and zinc sulfate, 546

Cation vacancies

- aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Cavitation corrosion. See also Corrosion

- duplex stainless steel in seawater, 103

Centrifugal atomization

- aluminum-magnesium-zinc alloys, rapidly solidified, 944

Cerium and cerium alloys. See also Alloys and alloying

- reaction mechanism of preoxidized with chlorine gas at high temperature, 312

Chain length

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

Charge density

- iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

Charge transfer

- copper, anodic behavior in chloride/tolyltriazole and chloride/benzotriazole solutions, 16
- copper, polarization behavior in acidic sulfate and chloride solutions, 171
- pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

Charging current. See also Current

- 22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

Chemical processing applications

- high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

Chemical-mechanical correlation model. See also Modeling

- activation energy, 869
- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448

Chloride and chloride solutions

- aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347
- atmospheric corrosion, Fourier transform infrared analysis, 788
- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448
- copper, anodic behavior in chloride/tolyltriazole and chloride/benzotriazole solutions, 16
- corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- gas dehydration, buffering and inhibition of glycol, 163
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
- iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312
- reinforcing steel, effect of chlorides in simulated concrete solutions, 216
- reinforcing steel, threshold corrosion rates for durability, 65
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734
- tungsten carbide-cobalt lamination dies, failure, 813
- type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290
- type 316 stainless steel, thiosulfate and stress corrosion cracking, 612
- type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623
- zirconium, localized corrosion, 54

Chloride-induced corrosion. See also Corrosion

- prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489

Chlorine and chlorine gases

- Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312
- nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

Chromate and chromate solutions

- Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

Chromate conversion coatings. See also Coatings

- Al 3105, filiform corrosion morphologies on painted coil material, 705
- chromated zinc, corrosion characteristics in sodium chloride, 142

Chromium and chromium alloys. See also Alloys and alloying

- 22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
- alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- chromated zinc, corrosion characteristics in sodium chloride, 142
- corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion, 730
- iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800
- nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365
- plasma-nitrided steels, influence of chromium, 507
- reaction mechanism of preoxidized with chlorine gas at high temperature, 312

Coatings. See also Chromate conversion coatings; Epoxy and epoxy coatings; Ion beam coatings; Linings; Polymer coatings; Polyurethane and coatings; Primers; Topcoats

- aluminum composite coatings, corrosion behavior, 880
- gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- underground pipelines with coating holidays, model for cathodic protection, 264
- waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- zinc, bond strength of electrochemically aged on concrete, 399

Cobalt and cobalt alloys. See also Alloys and alloying

- tungsten carbide-cobalt lamination dies, failure, 813

Compact tension testing

- type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306

Complexation

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- real-solution stability diagrams, modeling, 43

Composites

- aluminum and Al₂O₃-particle reinforced composite, microbial corrosion, 136

Concentration depth profile

- Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

Concentric electrodes. See also Electrodes

- carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

Concrete and pore solutions

- prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
- reinforcing steel, effect of chlorides in simulated concrete solutions, 216

- reinforcing steel, threshold corrosion rates for durability, 65
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734
- zinc coatings, bond strength of electrochemically aged on concrete, 399
- Condensate**
- Arun field, corrosion management, 72
- Conductivity**
- aluminum composite coatings, corrosion behavior, 880
- copper, bulk acoustic wave technique as a real-time corrosion probe, 195
- electrochemical noise response, modeling of electrode parameters, 770
- Constant extension rate tensile testing. See also Testing**
- prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
- Constant load testing**
- type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306
- Coolant**
- in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724
- Copper and copper alloys. See also Alloys and alloying**
- activation energy, chemical-mechanical correlation model, 869
- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- copper, bulk acoustic wave technique as a real-time corrosion probe, 195
- copper, nickel, and iron, water adsorption, 33
- corrosion mechanisms and products in aqueous solutions of varying pH, 389
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- pitting corrosion, holographic interferometry, 688
- polarization behavior in acidic sulfate and chloride solutions, 171
- synergistic effects between sodium tripolyphosphate and zinc sulfate, 546
- Correlation equation**
- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- Corrosion. See Aqueous corrosion; Atmospheric corrosion; Cavitation corrosion; Chloride-induced corrosion; Cracking; Crevice corrosion; Downhole corrosion; Electrochemical corrosion; Fatigue; Fill-form corrosion; Fireside corrosion; Galvanic corrosion; General corrosion; Graphitic corrosion; Hidden corrosion; High-temperature corrosion; Localized corrosion; Microbiologically influenced corrosion; Pitting corrosion**
- Corrosion behavior**
- aluminum composite coatings, 880
- copper, bulk acoustic wave technique as a real-time corrosion probe, 195
- copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389
- duplex stainless steel, cavitation corrosion in seawater, 103
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365
- polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381
- reinforcing steel, effect of chlorides on in simulated concrete solutions, 216
- Corrosion cost**
- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- Corrosion current. See also Current**
- chromated zinc, corrosion characteristics in sodium chloride, 142
- Corrosion fatigue. See Fatigue**
- Corrosion potential. See also Potential**
- 17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693
- duplex stainless steel, cavitation corrosion in seawater, 103
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734
- type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306
- type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactor environment, 537
- Corrosion product**
- Al 7075, anodic dissolution in hydroxide solutions, 179
- atmospheric corrosion, Fourier transform infrared analysis to detect, 788
- steel, corrosion products in tropical climates, 835
- Corrosion rate**
- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- aluminum composite coatings, corrosion behavior, 880
- chromated zinc, corrosion characteristics in sodium chloride, 142
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- nuclear waste containers, failure modeling, 820
- pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595
- reinforcing steel, threshold corrosion rates for durability, 65
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734
- steel, model for activation-controlled corrosion in carbon dioxide solutions, 852
- type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860
- waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- Corrosion resistance. See also Resistance**
- Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562
- aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965
- copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- plasma-nitrided steels, influence of chromium, 507
- Corrosion surveys**
- prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489
- Corrosion-resistant alloys. See also Alloys and alloying**
- passivity in chloride and hydrogen sulfide, 718
- Couples and coupling**
- 22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
- aluminum-magnesium-zinc alloys, rapidly solidified, 944
- Cracking. See Corrosion; Environmentally assisted cracking; Fatigue; Hydrogen-assisted or -induced cracking; Intergranular stress corrosion cracking; Microcracks; Stress corrosion cracking; Sulfide stress cracking; Transgranular stress corrosion cracking**
- Creep**
- activation energy, chemical-mechanical correlation model, 869
- Crevice corrosion. See also Corrosion**
- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644
- alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- nuclear waste containers, failure modeling, 820
- stainless steels, testing and selection for seawater applications, 955
- Critical crevice index**
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- Critical crevice temperature. See also Temperature**
- high-alloyed stainless steel, critical crevice temperature in seawater, 26
- stainless steels, testing and selection for seawater applications, 955
- Critical pitting temperature**
- stainless steels, testing and selection for seawater applications, 955
- Crystallization**
- alloy 800, pitting resistance as a function of temperature and prefilming in high-temperature water, 120
- Cupric and cuprous ions**
- copper, polarization behavior in acidic sulfate and chloride solutions, 171
- zirconium, localized corrosion in acidic chloride, 54
- Cuprous oxide and films. See also Oxides and oxide films**
- copper, synergistic effects between sodium triphosphate and zinc sulfate, 546
- Current. See also Alternating current; Charging current; Corrosion current; Imposed or impressed current; Limiting current; Photocurrent**
- electrochemical noise response, modeling of electrode parameters, 770
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860
- type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928
- Current density**
- alloy 600, repassivation and crack propagation in 288°C water, 114
- aluminum metal-matrix composites, 920
- iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800
- pitting corrosion, holographic interferometry, 688
- plasma-nitrided steels, influence of chromium, 507
- type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928
- Current efficiency**
- reinforcing steel, threshold corrosion rates for durability, 65
- Curve fitting**
- thiourea compounds, LKP model of inhibition, 915
- D**
- Dealloying**
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- Decay time**
- iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

Decision tree

austenitic stainless steel, empirical learning and stress corrosion cracking, 333

Deformation

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Degradation

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381
polymer-coated steel, electrochemical impedance and noise data from remote sites, 412

Delcig

zinc coatings, bond strength of electrochemically aged on concrete, 399

Delamination

Al 3105, filiform corrosion morphologies on painted coil material, 705
zinc coatings, bond strength of electrochemically aged on concrete, 399

Depassivation. See Passivation and passivity**Desulfurization systems**

flue gas, electrochemical impedance spectroscopy to characterize lining performance, 572

Dezincification

lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842

Dicarboxylates

aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

Dichromium nitride

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Dies

tungsten carbide-cobalt lamination dies, failure, 813

Diffusion and diffusivity

activation energy, chemical-mechanical correlation model, 869

automotive fasteners, hydrogen accumulation and diffusion, 481

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

copper, polarization behavior in acidic sulfate and chloride solutions, 171

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99

plasma-nitrided steels, influence of chromium, 507

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Dimer/trimer acids and solutions. See also Acids and acid solutions

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Disbondment. See also Hydrogen bonding

Al 3105, filiform corrosion morphologies on painted coil material, 705

Dislocations

alloy 800, pitting resistance as a function of temperature and prefilming in high-temperature water, 120

Dissolution. See also Anodic dissolution

alloys 625 and C276, crevice corrosion propagation in natural seawater, 755

aluminum ion implanted with nitrogen, pitting, 556

aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

mild steel, grey relational analysis of amine inhibition in acids, 186

pitting corrosion, holographic interferometry, 688

zirconium, dissolution in nitric-hydrofluoric acid, 327

Downhole corrosion. See also Corrosion

Arun field, corrosion management, 72

Ductility

cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

Duplex stainless steel. See also by name; by type; by UNS number; Stainless steel

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675

cathodic protection, effects in seawater, 234

cavitation corrosion in seawater, 103

high-alloyed stainless steel, critical crevice temperature in seawater, 26

Durability

reinforcing steel, threshold corrosion rates for durability, 65

E**Electrical circuits**

electrochemical noise response, modeling of electrode parameters, 770

Electrochemical cell

carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

Electrochemical corrosion. See also Corrosion

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Electrochemical impedance. See Impedance**Electrochemical impedance spectroscopy**

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347

aluminum metal-matrix composites, 920

carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

flue gas desulfurization systems, characterization of lining performance, 572

lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

polymer-coated steel, collection of impedance and noise data from remote sites, 412

zinc coatings, bond strength of electrochemically aged on concrete, 399

Electrochemical noise and analysis

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

electrochemical noise response, modeling of electrode parameters, 770

measurements for uncoated metals, design aspects, 273

polymer-coated steel, collection of impedance and noise data from remote sites, 412

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

zirconium, localized corrosion in acidic chloride, 54

Electrochemical potential. See also Potential

austenitic stainless steel, effects of potential and stress on stress corrosion cracking in chloride, 631

Electrochemical testing. See also Testing

Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644

aluminum-magnesium-zinc alloys, rapidly solidified, 944

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99

prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Electrochemistry

pitting corrosion, holographic interferometry, 688

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Electrodeposition

chromated zinc, corrosion characteristics in sodium chloride, 142

Electrodes. See also Concentric electrodes; Guard electrodes; Rotating cylindrical electrodes; Rotating disk electrodes; Working electrodes

electrochemical noise measurements for uncoated metals, design aspects, 273

electrochemical noise response, modeling of electrode parameters, 770

Electron probe microanalysis. See also Testing

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

Electron transfer

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

Electronegativity

organic corrosion inhibitors, molecular orbital theoretical studies, 617

Electrowinning

copper, polarization behavior in acidic sulfate and chloride solutions, 171

Energy-dispersive x-ray spectroscopy. See also Testing

atmospheric corrosion, Fourier transform infrared analysis, 788

biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

plasma-nitrided steels, influence of chromium, 507

tungsten carbide-cobalt lamination dies, failure, 813

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Enthalpy

zirconium, dissolution in nitric-hydrofluoric acid, 327

Environmentally assisted cracking. See also Cracking

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516

prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891

type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Epoxy and epoxy coatings. See also Coatings

aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347

carbon and weathering steels, painted in industrial atmospheres, 206

Erbium and erbium alloys. See also Alloys and alloying

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

Esters

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Etching

Al 3105, filiform corrosion morphologies on painted coil material, 705

Ethane and derivatives

organic corrosion inhibitors, molecular orbital theoretical studies, 617

Expert system

austenitic stainless steel, empirical learning and stress corrosion cracking, 333

Extreme-value statistics

Arun field, corrosion management, 72

F**Fast Fourier transform. See also Testing**

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

Fasteners

automotive fasteners, hydrogen diffusion, 481

Fatigue. See also Corrosion; Cracking

alloy 718, stress corrosion of single crystals in a light-water reactor, 743

low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516

pitting corrosion, holographic interferometry, 688

plasma-nitrided steels, influence of chromium, 507

type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Fatty acids. See also Acids and acid solutions

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Ferrie and ferrous ions and alloys. See also Alloys and alloying

Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

zirconium, localized corrosion in acidic chloride, 54

Field emission gun scanning electron microscopy. See also Testing

atmospheric corrosion, Fourier transform infrared analysis, 788

Filiform corrosion. See also Corrosion

Al 3105, filiform corrosion morphologies on painted coil material, 705

Films and film formation. See also Oxides and oxide films

Al 7075, anodic dissolution in hydroxide solutions, 179

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

alloy 600, repassivation and crack propagation in 288°C water, 114

alloy 800, pitting resistance as a function of temperature and prefilming in high-temperature water, 120

aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

atmospheric corrosion, Fourier transform infrared analysis, 788

copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16

copper, synergistic effects between sodium triphosphate and zinc sulfate, 546

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

mathematical models for cathodic protection of underground pipelines with holidays, 427

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

underground pipelines with coating holidays, model for cathodic protection, 264

zirconium, localized corrosion in acidic chloride, 54

Fire-side corrosion. See also Corrosion

waterwall tubes, field metal spraying in municipal waste incineration plants, 241

Flow

duplex stainless steel, cavitation corrosion in seawater, 103

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Flux

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

Fourier transform infrared spectroscopy. See also Testing

atmospheric corrosion, to detect corrosion products, 788

electrochemical noise measurements for uncoated metals, design aspects, 273

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

Fractography. See also Testing

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

low-alloy steel, transgranular stress corrosion cracking in diluted solutions, 516

type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Fracture and fracture mechanics

API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935

carbon steel, effect of hydrogen content on threshold stress intensity, 147

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Frequency

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

Fuel cladding

in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724

Furnaces

waterwall tubes, field metal spraying in municipal waste incineration plants, 241

Fuzzy logic

austenitic stainless steel, empirical learning and stress corrosion cracking, 333

G**Galvanic corrosion. See also Corrosion**

aluminum-magnesium-zinc alloys, rapidly solidified, 944

Galvanic couples. See Couples and coupling**Galvanostatic charging**

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Gamma radiation. See also Irradiation-assisted stress corrosion cracking;**Nuclear applications and environments; Radiation**

type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactor environment, 537

Gas dehydration

gas dehydration, buffering and inhibition of glycol, 163

General corrosion. See also Corrosion

Al 7075, anodic dissolution in hydroxide solutions, 179

electrochemical noise response, modeling of electrode parameters, 770

pitting corrosion, holographic interferometry, 688

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

Generators

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

Glow discharge spectrometry. See also Testing

Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

Glycol

gas dehydration, buffering and inhibition of as an alternative to amines, 163

Goethite

steel, corrosion products in tropical climates, 835

Gold and gold alloys. See also Alloys and alloying

biofilms formed in natural seawater by oxygen diffusion analysis, 4

Gradient method

thiourea compounds, LKP model of inhibition, 915

Grain boundary

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Grain morphology. See also Morphology

alloy 718, stress corrosion behavior of single crystals in a light-water reactor, 743

Graphitic corrosion. See also Corrosion

cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

Grey relational analysis

mild steel, amine inhibition in acids, 186

Ground water. See NS4 simulated ground water; Water**Guard electrodes. See also Electrodes**

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

H**Half-cell potential. See also Potential**

prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

Halides and halide solutions

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Hardness

plasma-nitrided steels, influence of chromium, 507

Heat exchangers

aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Heat treatment

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

- high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99
stainless steels, testing and selection for seawater applications, 955
- Heavy metal chlorides**
waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- Hidden corrosion. See also Corrosion**
Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- High-alloy steel. See also Alloys and alloying; by name; by UNS number; Steel**
critical crevice temperature in seawater, 26
- High-strength, low-alloy steel. See also Alloys and alloying; by name; by type; by UNS number; Steel**
hydrogen diffusions in stress fields, 99
hydrogen-induced embrittlement in acidic environments, 200
- High-temperature corrosion. See also Corrosion; Temperature**
Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312
waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- High-temperature oxidation. See also Oxidation; Temperature**
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
- High-temperature sulfidation. See also Temperature**
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
- High-temperature water. See also Temperature; Water**
alloy 600, repassivation and crack propagation in 288°C water, 114
alloy 800, pitting resistance as a function of temperature and prefilming, 120
iron, potential-pH diagrams for in supercritical water, 605
- Holidays**
mathematical models for cathodic protection of underground pipelines with coating, 427
underground pipelines with coating holidays, model for cathodic protection, 264
- Holographic interferometry. See also Testing**
pitting corrosion, holographic interferometry, 688
- Hot extrusion**
aluminum-magnesium-zinc alloys, rapidly solidified, 944
- Hydrochloric acid and solutions. See also Acids and acid solutions**
aluminum, role of imidazolone derivatives in inhibition in hydrochloric acid, 437
biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965
iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319
lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
zirconium, localized corrosion in acidic chloride, 54
- Hydrodynamics**
iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800
pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595
- Hydrofluoric acid and solutions. See also Acids and acid solutions**
zirconium, dissolution in nitric-hydrofluoric acid, 327
- Hydrogen bonding. See also Disbondment**
mild steel, grey relational analysis of amine inhibition in acids, 186
- Hydrogen concentration**
type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactors, 537
- Hydrogen embrittlement**
duplex stainless steel, cathodic protection in seawater, 234
high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
pitting corrosion, holographic interferometry, 688
prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499
- Hydrogen evolution**
high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200
iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
zirconium, dissolution in nitric-hydrofluoric acid, 327
- Hydrogen overvoltage**
iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
- Hydrogen permeation. See also Permeation and permeability**
22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
iron, effect of chloride ions on adsorption and permeation of hydrogen, 284
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499
- Hydrogen peroxide and solutions**
type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactors, 537
- Hydrogen sulfide and solutions**
22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
carbon steel, metallurgical, mechanical, and welding variables in wet H₂S cracking, 227
carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440
corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- Hydrogen sulfide cracking test. See also Testing**
API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935
- Hydrogen uptake efficiency**
Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- Hydrogen water chemistry**
type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306
type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactor environment, 537
- Hydrogen-assisted or -induced cracking. See also Cracking**
22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling conditions, 700
API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935
API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762
carbon steel, effect of hydrogen content on threshold stress intensity, 147
carbon steel, metallurgical, mechanical, and welding variables in wet H₂S cracking, 227
- high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200
low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516
nuclear waste containers, failure modeling, 820
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499
- Hydrogenation**
Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- Hydrolysis**
biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965
-
- Imidazolone**
aluminum, role of some in inhibition in hydrochloric acid, 437
- Imides**
tall oil fatty acid anhydrides, inhibitor intermediates, 62
- Immersion testing. See also Testing**
aluminum composite coatings, corrosion behavior, 880
carbon and weathering steels, painted in industrial atmospheres, 206
- Impedance**
Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562
aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347
carbon and weathering steels, painted in industrial atmospheres, 206
gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
mild steel, grey relational analysis of amine inhibition in acids, 186
polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412
- Imposed or impressed current. See also Current**
prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
reinforcing steel, threshold corrosion rates for durability, 65
zinc coatings, bond strength of electrochemically aged on concrete, 399
- Impurities**
steel, model for activation-controlled corrosion in carbon dioxide solutions, 852
- In-situ measurements. See also Testing**
in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724
- Incineration**
waterwall tubes, field metal spraying in municipal waste incineration plants, 241
- Inclusions**
API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762
- Inductively coupled plasma spectroscopy. See also Testing**
high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525
- Industrial applications and environments**
Al 3105, filiform corrosion morphologies on painted coil material, 705
carbon and weathering steels, painted in industrial atmospheres, 206
plasma-nitrided steels, influence of chromium, 507
steel, corrosion products in tropical climates, 835

- type 316 stainless steel, thiosulfate and stress corrosion cracking, 612
- type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623
- Infrared spectroscopy.** *See also* **Testing**
steel, corrosion products in tropical climates, 835
- Inhibitors and inhibition**
- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644
- Al 7075, anodic dissolution in hydroxide solutions, 179
- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- aluminum, role of some imidazolone derivatives in hydrochloric acid, 437
- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- copper, synergistic effects between sodium triphosphate and zinc sulfate, 546
- gas dehydration, buffering and inhibition of glycol, 163
- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
- iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319
- mild steel, grey relational analysis of amine inhibition in acids, 186
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- organic corrosion inhibitors, molecular orbital theoretical studies, 617
- steel, model for activation-controlled corrosion in carbon dioxide solutions, 852
- tall oil fatty acid anhydrides, inhibitor intermediates, 62
- thiourea compounds, LKP model of inhibition, 915
- Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290
- Interfacial chemistry**
- zinc coatings, bond strength of electrochemically aged on concrete, 399
- Intergranular stress corrosion cracking.** *See also* **Cracking; Stress corrosion cracking**
low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516
- type 304 stainless steel, correlation with mechanical response of irradiated thermally sensitized, 778
- type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306
- type 304 stainless steel, in boiling-water reactor environment, 537
- Iodine**
- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
- Ion beam coatings.** *See also* **Coatings**
Al 7075, anodic dissolution in hydroxide solutions, 179
- Ion implantation**
- aluminum ion implanted with nitrogen, pitting, 556
- generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730
- Ionization**
- chromated zinc, corrosion characteristics in sodium chloride, 142
- Iron and iron alloys.** *See also* **Alloys and alloying**
alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- cast iron pipe, statistical analyses of field data in sandy marine sediments, 156
- chloride ions, effect of on adsorption and permeation of hydrogen, 284
- copper, nickel, and iron, water adsorption, 33
- inhibition mechanism of propargyl alcohol in hydrochloric acid at high temperature, 319
- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
- iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800
- organic corrosion inhibitors, molecular orbital theoretical studies, 617
- photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11
- potential-pH diagrams for in supercritical water, 605
- steel, corrosion products in tropical climates, 835
- stress corrosion cracking, 356
- Irradiation-assisted stress corrosion cracking.** *See also* **Gamma radiation; Nuclear power and environments**
type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- K**
- Kinetics**
- Arun field, corrosion management, 72
- L**
- L80 tubing**
- Arun field, corrosion management, 72
- Lamination**
- tungsten carbide-cobalt lamination dies, failure, 813
- Langmuir adsorption isotherm**
- thiourea compounds, LKP model of inhibition, 915
- Lattice defects**
- alloy 800, pitting resistance as a function of temperature and prefilming in high-temperature water, 120
- Lattice self-diffusion**
- activation energy, chemical-mechanical correlation model, 869
- Leaching**
- tungsten carbide-cobalt lamination dies, failure, 813
- Lead and lead alloys.** *See also* **Alloys and alloying**
lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842
- Lepidocrocite**
- steel, corrosion products in tropical climates, 835
- Life expectancy**
- Arun field, corrosion management, 72
- Light-water reactors.** *See also* **Reactors**
type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- Limiting current.** *See also* **Current**
copper, polarization behavior in acidic sulfate and chloride solutions, 171
- gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
- Linear discriminant**
- austenitic stainless steel, empirical learning and stress corrosion cracking, 333
- Linear polarization resistance.** *See* **Polarization resistance**
- Linings.** *See also* **Coatings**
flue gas desulfurization systems, impedance spectroscopy to characterize epoxide lining performance, 572
- Lithium hydroxide and solutions**
- in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724
- Load and loading**
- carbon steel, effect of hydrogen content on threshold stress intensity, 147
- X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581
- Localized corrosion.** *See also* **Corrosion**
22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
- aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- Arun field, corrosion management, 72
- corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- electrochemical noise measurements for uncoated metals, design aspects, 273
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- zirconium, localized corrosion in acidic chloride, 54
- Low-alloy steel.** *See also* **Alloys and alloying; by name; by type; by UNS number; Steel**
plasma-nitrided steels, influence of chromium, 507
- transgranular stress corrosion cracking in diluted solutions, 516
- Lubricants**
- Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644
- tungsten carbide-cobalt lamination dies, failure, 813
- M**
- Maghemite**
- steel, corrosion products in tropical climates, 835
- Magnesium and magnesium alloys.** *See also* **Alloys and alloying**
aluminum-magnesium-zinc alloys, rapidly solidified, 944
- mathematical models for cathodic protection of underground pipelines with holidays, 427
- Magnesium chloride and solutions**
- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking, 448
- Magnetic fields**
- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- Magnetite**
- steel, corrosion products in tropical climates, 835
- Magnetometry**
- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- Manual potential mapping.** *See also* **Potential**
steel, electrochemical behavior and corrosion rate evaluation in concrete, 734
- Marine applications and environments.** *See also* **Salt and salts; Seawater; Sodium chloride and solutions**
Al 3105, filiform corrosion morphologies on painted coil material, 705
- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- carbon steel, effect of hydrogen content on threshold stress intensity, 147
- cast iron pipe, statistical analyses of field data in sandy marine sediments, 156
- stainless steels, testing and selection for seawater applications, 955
- steel, corrosion products in tropical climates, 835
- type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

Mass loss

- duplex stainless steel, cavitation corrosion in seawater, 103
- pitting corrosion, holographic interferometry, 688
- zirconium, localized corrosion in acidic chloride, 54

Mass transfer and transport

- copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- copper, polarization behavior in acidic sulfate and chloride solutions, 171
- gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
- pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

Material selection

- stainless steels, testing and selection for seawater applications, 955

Mechanical response

- type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Mechanochemical behavior

- pitting corrosion, holographic interferometry, 688

Metal-matrix composite

- aluminum composite coatings, corrosion behavior, 880
- aluminum metal-matrix composites, 920

Metals

- atmospheric corrosion, Fourier transform infrared analysis, 788

Micelle formation

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

Microbiologically influenced corrosion. See also Corrosion; Sulfate-reducing bacteria

- aluminum and Al_2O_3 -particle reinforced composite, microbial corrosion, 136
- gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
- polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412

Microcracks. See also Cracking

- duplex stainless steel, cavitation corrosion in seawater, 103

Microhardness

- type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Microstructure

- aluminum-magnesium-zinc alloys, rapidly solidified, 944
 - carbon steel, metallurgical, mechanical, and welding variables in wet H_2S cracking, 227
 - duplex stainless steel, cavitation corrosion in seawater, 103
 - steel, model for activation-controlled corrosion in carbon dioxide solutions, 852
- Mild steel. See also by name; by type; by UNS number; Steel**
- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
 - influence of heterocyclic anils on inhibition and hydrogen permeation, 475

Mineral acid and solutions. See also Acids and acid solutions

- copper, bulk acoustic wave technique as a real-time corrosion probe, 195

Modeling. See also Chemical-mechanical correlation model

- API 5L-X52 steel, hydrogen-induced crack growth rate in sour environments, 935
- Arun field, corrosion management, 72

cathodic protection of underground pipelines with coating holidays, 427

cathodic protection of underground pipelines with coating holidays, 264

electrochemical noise response, modeling of electrode parameters, 770

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

real-solution stability diagrams, 43

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

thiourea compounds, LKP model of inhibition, 915

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

Modified neglect of differential overlap method

organic corrosion inhibitors, molecular orbital theoretical studies, 617

Molecular orbital theoretical studies

organic corrosion inhibitors, molecular orbital theoretical studies, 617

Molecular weight

mild steel, grey relational analysis of amine inhibition in acids, 186

Molybdenum and molybdenum alloys. See also Alloys and alloying

- alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718
- type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Monocarboxylates

aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

Morphology. See also Grain morphology

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Mortar

reinforcing steel, threshold corrosion rates for durability, 65

Mössbauer spectroscopy. See also Testing

steel, corrosion products in tropical climates, 835

N**Natural gas. See Oil and gas****Nearest neighbor**

austenitic stainless steel, empirical learning and stress corrosion cracking, 333

Neutral solutions and environments

- aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
- lead-brass alloy, electrochemical impedance spectroscopy to investigate stability in acid and neutral solutions, 842

Neutron fluence

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Neutron irradiation. See also Radiation

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Nickel and nickel alloys. See also Alloys and alloying

activation energy, chemical-mechanical correlation model, 869

alloy 600, repassivation and crack propagation in 288°C water, 114

alloy 718, stress corrosion behavior of single crystals in a light-water reactor, 743

alloys 625 and C276, crevice corrosion propagation in natural seawater, 755

aluminum composite coatings, corrosion behavior, 880

copper, nickel, and iron, water adsorption, 33

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

reaction mechanism of preoxidized with chlorine gas at high temperature, 312

Niobium and niobium alloys. See also Alloys and alloying

biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

Nitrate/nitrite and solutions

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

reinforcing steel, threshold corrosion rates for durability, 65

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Nitric acid and solutions. See also Acids and acid solutions

zirconium, dissolution in nitric-hydrofluoric acid, 327

Nitrogen and nitrogen alloys. See also Alloys and alloying

- aluminum ion implanted with nitrogen, pitting, 556
- aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- copper, nickel, and iron, water adsorption, 33
- high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Noise. See Electrochemical noise and analysis**Nondestructive testing. See also Testing**

- Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
- aluminum beverage containers, electrochemical impedance spectroscopy to evaluate, 347
- atmospheric corrosion, Fourier transform infrared analysis, 788
- steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Normal water chemistry

type 304 stainless steel, intergranular stress corrosion crack growth in boiling-water reactors, 306

NS4 simulated ground water. See also Water

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Nuclear applications and environments. See also Gamma radiation; Irradiation-assisted stress corrosion cracking; Nuclear waste; Radiation; Reactors

- copper, nickel, and iron, water adsorption, 33
- in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724
- low-alloy steel, transgranular stress corrosion cracking in diluted solutions, 516
- type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactors, 537

Nuclear waste. See also Nuclear applications and environments; Waste

container failure modeling, 820

O

Oil and gas. See also Pipelines and line pipe steel

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

Arun field, corrosion management, 72
carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440
duplex stainless steel, cavitation corrosion in seawater, 103

gas dehydration, buffering and inhibition of glycol, 163

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Open-circuit potential. See also Potential
alloy 600, repassivation and crack propagation in 288°C water, 114**Optical corrosion meter**

pitting corrosion, holographic interferometry, 688

Optical microscopy. See also Testing

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Orientation

alloy 718, stress corrosion of single crystals in a light-water reactor, 743

Oxalate and oxalate solutions

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

Oxidation. See also High-temperature oxidation

alloy 600, repassivation and crack propagation in 288°C water, 114

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

Oxides and oxide films. See also Aluminum oxide and films; Cuprous oxide and films; Films and film formation

aluminum metal-matrix composites, 920

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724

iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

iron, potential-pH diagrams for in supercritical water, 605

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312

steel, corrosion products in tropical climates, 835

Oxidizing solutions

zirconium, localized corrosion in acidic chloride, 54

Oxoacid salts. See also Salt and salts

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Oxygen and oxygen reduction

chromated zinc, corrosion characteristics in sodium chloride, 142

copper, bulk acoustic wave technique as a real-time corrosion probe, 195

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactors, 537

P

Packaging

Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644

Partial pressure

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Particulates

aluminum composite coatings, corrosion behavior, 880

Passivation and passivity. See also**Repassivation**

alloy 600, pitting resistance as a function of temperature and prefilming in high-temperature water, 120

aluminum-magnesium-zinc alloys, rapidly solidified, 944

aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675

biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

chromated zinc, corrosion characteristics in sodium chloride, 142

copper, anodic behavior in chloride/tolyltriazole and chloride/benzotriazole solutions, 16

copper, corrosion mechanisms and products in aqueous solutions at varying pH values, 389

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

iron, potential-pH diagrams for in supercritical water, 605

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842

mild steel, grey relational analysis of amine inhibition in acids, 186

plasma-nitrided steels, influence of chromium, 507

real-solution stability diagrams, modeling, 43

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

zinc coatings, bond strength of electrochemically aged on concrete, 399

Perchlorate and perchlorate solutions

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

Permeation and permeability. See also Hydrogen permeation

automotive fasteners, hydrogen diffusion, 481

zinc coatings, bond strength of electrochemically aged on concrete, 399

pH and pH diagrams

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

copper, polarization behavior in acidic sulfate and chloride solutions, 171

iron, potential-pH diagrams for in supercritical water, 605

prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Phases

steel, corrosion products in tropical climates, 835

Phosphate and phosphate solutions

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Photocurrent. See also Current

iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

Pipelines and line pipe steel. See also by name; by type; by UNS number; Oil and gas; Steel

API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935

carbon steel, effect of hydrogen content on threshold stress intensity, 147

cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

high-alloyed stainless steel, critical crevice temperature in seawater, 26

mathematical models for cathodic protection of underground pipelines with holidays, 427

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

underground pipelines with coating holidays, model for cathodic protection, 264

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Pitting corrosion. See also Corrosion

Al 3105, filiform corrosion morphologies on painted coil material, 705

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

alloys 625 and C276, crevice corrosion propagation in natural seawater, 755

aluminum ion implanted with nitrogen, pitting, 556

carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

electrochemical noise response, modeling of electrode parameters, 770

iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

stainless steels, testing and selection for seawater applications, 955

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Pitting potential. See also Potential

aluminum metal-matrix composites, 920

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Pitting resistance. See also Resistance

alloy 800, pitting resistance as a function of temperature and prefilming in high-temperature water, 120

corrosion-resistant alloys, passivity in chloride and hydrogen sulfide, 718

Pitting temperature. See also Temperature

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Plasma nitriding

stainless steels, influence of chromium, 507

Plasma-transferred arc spraying

aluminum composite coatings, corrosion behavior, 880

Plate orientation

carbon steel, metallurgical, mechanical, and welding variables in wet H₂S cracking, 227

Plating

automotive fasteners, hydrogen diffusion, 481

Point defects

aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Polarization. See also Anodic polarization; Cathodic polarization; Potentiodynamic polarization and testing

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

copper, synergistic effects between sodium triphosphate and zinc sulfate, 546

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

underground pipelines with coating holidays, model for cathodic protection, 264

Polarization resistance. See also Resistance

aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657

copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

Polymer coatings. See also Coatings

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412

Polymers and polymerization

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

Polynomial network

austenitic stainless steel, empirical learning and stress corrosion cracking, 333

Polyurethane and coatings. See also Coatings

Al 3105, filiform corrosion morphologies on painted coil material, 705

carbon and weathering steels, painted in industrial atmospheres, 206

Pore attack

carbon and weathering steels, painted in industrial atmospheres, 206

Porosity

aluminum composite coatings, corrosion behavior, 880

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

Potassium chloride and solutions

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

Potassium chromate and solutions

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

Potassium hydroxide and solutions

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

Potassium thiocyanate and solutions

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Potential. See also Breakdown potential; Corrosion potential; Electrochemical potential; Half-cell potential; Manual potential mapping; Open-circuit potential; Pitting potential

copper, polarization behavior in acidic sulfate and chloride solutions, 171

electrochemical noise response, modeling of electrode parameters, 770

iron, potential-pH diagrams for in supercritical water, 605

mathematical models for cathodic protection of underground pipelines with holidays, 427

type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

Potential pulse technique

alloy 600, repassivation and crack propagation in 288°C water, 114

Potentiodynamic polarization and testing. See also Polarization

alloy 600, repassivation and crack propagation in 288°C water, 114

aluminum metal-matrix composites, 920

aluminum, role of imidazolone derivatives in inhibition in hydrochloric acid, 437

aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675

copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16

duplex stainless steel, cavitation corrosion in seawater, 103

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475

plasma-nitrided steels, influence of chromium, 507

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

zirconium, localized corrosion in acidic chloride, 54

Potentiokinetic linear polarization resistance. See also Resistance

steel, electrochemical behavior and corrosion rate evaluation in concrete, 734

Potentiostatic testing. See also Testing

aluminum composite coatings, corrosion behavior, 880

high-alloyed stainless steel, critical crevice temperature in seawater, 26

stainless steels, testing and selection for seawater applications, 955

Power spectral density

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

Precipitation hardening

alloy 718, stress corrosion of single crystals in a light-water reactor, 743

Preconditioning

carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

Pressure and pressure vessels

iron, potential-pH diagrams for in supercritical water, 605

low-alloy steel, transgranular stress corrosion cracking in diluted solutions, 516

Pressurized-water reactors. See also Reactors

in-situ measurement of effect of lithium hydroxide on fuel cladding oxide films in pressurized water reactors, 724

Prestressing steel. See also by name; by type; by UNS number; Steel

prestressed bridge steel, corrosion surveys using a half-cell potential technique, 489

prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891

Primers. See also Coatings

carbon and weathering steels, painted in industrial atmospheres, 206

Propargyl alcohol

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

Pseudomonas NCMB 2021

aluminum and Al₂O₃-particle reinforced composite, microbial corrosion, 136

Pulp and paper applications and environments

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

Pyridine and derivatives

organic corrosion inhibitors, molecular orbital theoretical studies, 617

Q**Quality control**

stainless steels, testing and selection for seawater applications, 955

Quantification theory analysis

cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

Quantitative structure activity relationships

thiourea compounds, LKP model of inhibition, 915

Quantum chemistry

thiourea compounds, LKP model of inhibition, 915

Quaternary compounds

tall oil fatty acid anhydrides, inhibitor intermediates, 62

Quartz-crystal microbalance technique

copper, bulk acoustic wave technique as a real-time corrosion probe, 195

copper, nickel, and iron, water adsorption, 33

R**Radiation. See Gamma radiation; Irradiation-assisted stress corrosion cracking; Neutron irradiation; Nuclear applications and environments****Radiolysis**

type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactor environment, 537

Rapid solidification

aluminum-magnesium-zinc alloys, rapidly solidified, 944

Reactive sputter deposition

aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675

Reactors. See Boiling-water reactors; Light-water reactors; Nuclear power and environments; Pressurized-water reactors; Turbines**Reboilers**

gas dehydration, buffering and inhibition of glycol, 163

Reinforced concrete. See Concrete and pore solutions**Reinforcement**

aluminum composite coatings, corrosion behavior, 880

Reinforcing steel. See also by name; by type; by UNS number; Steel

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216

threshold corrosion rates for durability, 65

Relative humidity

copper, nickel, and iron, water adsorption, 33

Remote data collection

polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412

Remote sensing

Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93

Repassivation. See also Passivation and passivity

alloy 600, repassivation and crack propagation in 288°C water, 114

aluminum ion implanted with nitrogen, pitting, 556

austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631

high-alloyed stainless steel, critical crevice temperature in seawater, 26

stainless steels, testing and selection for seawater applications, 955

Resistance. See also Corrosion resistance; Pitting resistance; Polarization resistance; Potentiokinetic linear polarization resistance

flue gas desulfurization systems, electrochemical impedance spectroscopy to characterize, 572

Retaining rings

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

Risk assessment

carbon steel, stabilization of localized corrosion by sulfate-reducing bacteria, 440

Rotating cylindrical electrodes. See also Electrodes

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

Rotating disk electrodes. See also Electrodes

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

Rural environments

steel, corrosion products in tropical climates, 835

Rutherford backscattering spectrometry. See also Testing

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

S

SAF 2205

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

Salt and salts. See also Marine applications and environments; Oxacid salts; Seawater

reinforcing steel, effect of chlorides on in simulated concrete solutions, 216
tall oil fatty acid anhydrides, inhibitor intermediates, 62
zinc coatings, bond strength of electrochemically aged on concrete, 399

Sampling rate

electrochemical noise measurements for uncoated metals, design aspects, 273
type 1040 carbon steel, electrochemical noise resistance to predict corrosion rate, 860

Scale

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312

Scanning electron microscopy. See also Testing

Al 3105, filiform corrosion morphologies on painted coil material, 705
carbon steel, effect of hydrogen content on threshold stress intensity, 147
copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389
copper, synergistic effects between sodium triphosphosphate and zinc sulfate, 546
high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525
high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200
iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312
nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365
plasma-nitrided steels, influence of chromium, 507
reinforcing steel, effect of chlorides on in simulated concrete solutions, 216
tungsten carbide-cobalt lamination dies, failure, 813
type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Scanning transmission electron microscopy. See also Testing

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Scribing

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

Seawater. See also Marine applications and environments; Salt and salts; Sodium chloride and solutions

Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93
Al 7050, slow strain rate testing in different tempers using synthetic environments, 467
alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
duplex stainless steel, cavitation corrosion in seawater, 103
duplex stainless steel, cathodic protection, 234
gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4
high-alloyed stainless steel, critical crevice temperature in seawater, 26
pitting corrosion, holographic interferometry, 688
polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412
steel, model for activation-controlled corrosion in carbon dioxide solutions, 852

Semiconductor

iron, photoelectrochemical study of pitting in borate buffer solution with inhibitors, 11

Sensitization. See also Thermal sensitization

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Silicon carbide

aluminum composite coatings, corrosion behavior, 880

Silicon nitride and solutions

Al 7075, anodic dissolution in hydroxide solutions, 179

Silver chloride

activation energy, chemical-mechanical correlation model, 869

Simplex method

thiourea compounds, LKP model of inhibition, 915

Simulated concrete and pore solutions. See Concrete and pore solutions

Single crystals

alloy 718, stress corrosion of single crystals in a light-water reactor, 743

Slip bands

type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

Slow strain rate testing. See also Testing

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693
22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700
Al 7050, slow strain rate testing in different tempers using synthetic environments, 467
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
type 304 stainless steel, intergranular stress corrosion cracking in boiling-water reactor environment, 537
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

SM90 steel

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

SM95 steel

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

Sodium bromide and solutions

type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623

Sodium chloride and solutions. See also Marine applications and environments; Seawater

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693
aluminum composite coatings, corrosion behavior, 880
aluminum ion implanted with nitrogen, pitting, 556
aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808
chromated zinc, corrosion characteristics in sodium chloride, 142
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381
reinforcing steel, effect of chlorides on in simulated concrete solutions, 216
tungsten carbide-cobalt lamination dies, failure, 813
type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290
type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129
type 316 stainless steel, thiosulfate and stress corrosion cracking, 612
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Sodium hydroxide and solutions

Al 7075, anodic dissolution in hydroxide solutions, 179
reinforcing steel, effect of chlorides on in simulated concrete solutions, 216
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Sodium oxalate and solutions

Al 7075, electronic properties of passive films in solutions with oxalate and chromate, 562

Sodium sulfate and solutions

copper, polarization behavior in acidic sulfate and chloride solutions, 171
plasma-nitrided steels, influence of chromium, 507
type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Sodium sulfide and solutions

Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

Sodium thiosulfate and solutions

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

Sodium triphosphosphate and solutions

copper, synergistic effects between sodium triphosphosphate and zinc sulfate, 546

Solubility

aluminum, copper, and mild steel, organic inhibition by straight chain carboxylates, 657
automotive fasteners, hydrogen diffusion, 481
real-solution stability diagrams, modeling, 43

Solution ion analysis

Al 3104-H19 can body stock, double crevice assembly method to study water staining, 644

Solvents

copper, bulk acoustic wave technique as a real-time corrosion probe, 195

Sour gas

API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935

Spalling

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312
reinforcing steel, threshold corrosion rates for durability, 65

SQUID magnetometry

Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93

Stability diagrams

real-solution stability diagrams, modeling, 43

Stainless steel. See also Austenitic stainless steel; by name; by type; by UNS number; Duplex stainless steel; Steel

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

aluminum ion implanted with nitrogen, pitting, 556

plasma-nitrided steels, influence of chromium, 507

testing and selection for seawater applications, 955

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Standard-state properties

real-solution stability diagrams, modeling, 43

Steady state

gold, characterization of biofilms formed in natural seawater by oxygen diffusion analysis, 4

Steam turbines. See also Turbines; Utilities

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

Steel. See also by name; by type; by UNS number; Carbon steel; High-alloy steel; High-strength, low-alloy steel; Low-alloy steel; Mild steel; Pipelines and line pipe steel; Prestressing steel; Reinforcing steel; Stainless steel; Tool steel; Tubing and tubular steel; Weathering steel

electrochemical behavior and corrosion rate evaluation in concrete, 734

corrosion products in tropical climates, 835

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

model for activation-controlled corrosion in carbon dioxide solutions, 852

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

polymer-coated steel, collection of electrochemical impedance and noise data from remote sites, 412

tungsten carbide-cobalt lamination dies, failure, 813

Strain and straining

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

activation energy, chemical-mechanical correlation model, 869

alloy 600, drop-weight straining, repassivation and crack propagation in 288°C water, 114

aluminum and Al_2O_3 -particle reinforced composite, microbial corrosion, 136

API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

Strain rate

austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631

low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516

Stress

activation energy, chemical-mechanical correlation model, 869

aluminum and Al_2O_3 -particle reinforced composite, microbial corrosion, 136

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631

austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448

duplex stainless steel, cathodic protection in seawater, 234

high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778

type 316 stainless steel, crack initiation mechanisms for corrosion fatigue, 129

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

Stress corrosion cracking. See also Cracking; Intergranular stress corrosion cracking; Transgranular stress corrosion cracking

17-4 pH stainless steel, electrochemical potential noise to detect stress corrosion cracks, 693

22% Cr duplex stainless steel, hydrogen uptake and cracking under galvanic coupling, 700

activation energy, chemical-mechanical correlation model, 869

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

alloy 600, repassivation and crack propagation in 288°C water, 114

alloy 718, stress corrosion of single crystals in a light-water reactor, 743

austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631

austenitic stainless steel, effects of stress and temperature on in magnesium chloride solutions, 448

austenitic stainless steel, empirical learning in high-temperature aqueous environments, 333

electrochemical noise response, modeling of electrode parameters, 770

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

iron aluminide and iron-aluminum alloys, 356

pitting corrosion, holographic interferometry, 688

type 316 stainless steel, effects of thiosulfate on susceptibility to, 612

type 410 stainless steel, hydrogen embrittlement in sodium chloride-sodium sulfate environment, 499

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Stress gradients

high-strength, low-alloy steel, hydrogen diffusion in stress fields, 99

Stress intensity

API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

carbon steel, effect of hydrogen content on threshold stress intensity, 147

Substituent constants

thiourea compounds, LKP model of inhibition, 915

Sulfate and sulfate solutions

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

atmospheric corrosion, Fourier transform infrared analysis, 788

type 304 stainless steel, effects of potential and temperature on oxoacid salts, 290

Sulfate-reducing bacteria. See also Microbiologically influenced corrosion

carbon steel, stabilization of localized corrosion, 440

cast iron pipe, statistical analyses of field data in sandy marine sediments, 156

X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581

Sulfidation. See High-temperature sulfidation**Sulfide stress cracking. See also Cracking**

API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762

carbon steel, metallurgical, mechanical, and welding variables in wet H_2S cracking, 227

Sulfur dioxide and solutions

flue gas desulfurization systems, impedance spectroscopy to characterize lining performance, 572

Sulfuric acid and solutions. See also Acids and acid solutions

copper, polarization behavior in acidic sulfate and choride solutions, 171

flue gas desulfurization systems, impedance spectroscopy to characterize lining performance, 572

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

lead-brass alloys, electrochemical impedance spectroscopy to investigate stability, 842

pitting corrosion, holographic interferometry, 688

type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928

Superconducting quantum interference device

Al 2024, detection of hidden corrosion using a SQUID magnetometer, 93

Supercritical water. See High-temperature water**Surface analysis**

atmospheric corrosion, Fourier transform infrared analysis, 788

Surface finish

zirconium, localized corrosion in acidic chloride, 54

Surface-enhanced Raman scattering spectroscopy. See also Testing

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

Synergistic effects

copper, synergistic effects between sodium triphosphosphate and zinc sulfate, 546

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

Synthetic environments

Al 7050, slow strain rate testing in different tempers using synthetic environments, 467

T**Tafel slope**

copper, polarization behavior in acidic sulfate and choride solutions, 171

Temkin's adsorption isotherm

mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475

Temperature. See also Critical crevice temperature; High-temperature corrosion; High-temperature oxidation; High-temperature sulfidation; High-temperature water; Pitting temperature

- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448
- copper, bulk acoustic wave technique as a real-time corrosion probe, 195
- iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679
- iron, inhibition mechanism of propargyl alcohol in hydrochloric acid at high temperature, 319
- mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- nuclear waste containers, failure modeling, 820
- steel, corrosion products in tropical climates, 835
- steel, model for activation-controlled corrosion in carbon dioxide solutions, 852
- type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- type 904L stainless steel, pitting corrosion in sodium bromide solutions, 623
- Tensile strength**
carbon steel, effect of hydrogen content on threshold stress intensity, 147
- Tensile testing. See also Testing**
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
- Testing. See Auger electron spectroscopy; Bulk acoustic wave technique; Compact tension testing; Constant extension rate tensile testing; Constant load testing; Electrochemical impedance spectroscopy; Electrochemical testing; Electron probe microanalysis; Energy-dispersive x-ray spectroscopy; Fast Fourier Transform; Field emission gun scanning electron microscopy; Fourier transform infrared spectroscopy; Fractography; Glow discharge spectrometry; Holographic interferometry; Hydrogen sulfide cracking test; Immersion testing; In-situ measurements; Inductively coupled plasma spectroscopy; Infrared spectroscopy; Magnetometry; Manual potential mapping; Mössbauer spectroscopy; Non-destructive testing; Optical microscopy; Potentiodynamic polarization and testing; Potentiostatic testing; Rutherford backscattering spectrometry; Scanning electron microscopy; Scanning transmission electron microscopy; Slow strain rate testing; Solution ion analysis; SQUID magnetometry; Surface-enhanced Raman spectroscopy; Tensile testing; Thermodynamic analysis; Thin-layer chromatography; Transmission electron microscopy; U-bend testing; Ultramicrotomy; Weight-loss testing; X-ray diffraction; X-ray photoelectron spectroscopy. See also Ultrasonic inspection**
- Thermal sensitization. See also Sensitization**
type 304 stainless steel, intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- Thermal shock**
flue gas desulfurization systems, impedance spectroscopy to characterize lining performance, 572
- Thermodynamic analysis. See also Testing**
nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365
- real-solution stability diagrams, modeling, 43
- Thin-layer chromatography. See also Testing**
alloys 625 and C276, crevice corrosion propagation in natural seawater, 755
- Thiosulfate and thiosulfate solutions**
type 316 stainless steel, thiosulfate and stress corrosion cracking, 612
- Thiourea and derivatives**
thiourea compounds, LKP model of inhibition, 915
- Throwing power**
prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
- Time to failure**
activation energy, chemical-mechanical correlation model, 869
- austenitic stainless steel, effects of potential and stress on stress corrosion cracking, 631
- austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448
- generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730
- nuclear waste containers, failure modeling, 820
- type 316 stainless steel, thiosulfate and stress corrosion cracking, 612
- Tin and tin alloys. See also Alloys and alloying**
aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808
- Titanium and titanium alloys. See also Alloys and alloying**
biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965
- nuclear waste containers, failure modeling, 820
- Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- Titanium carbide**
aluminum composite coatings, corrosion behavior, 880
- Titanium hydride**
Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374
- Tolytriazole and solutions**
copper, anodic behavior in chloride/tolytriazole and chloride/benzotriazole solutions, 16
- Tool steel. See also by name; by type; by UNS number; Steel**
plasma-nitrided steels, influence of chromium, 507
- Topcoats. See also Coatings**
carbon and weathering steels, painted in industrial atmospheres, 206
- Transfer coefficient**
type 420 stainless steel, stochastic analysis of current fluctuations in general corrosion, 928
- Transgranular stress corrosion cracking. See also Cracking; Stress corrosion cracking**
low-alloy steels, transgranular stress corrosion cracking in diluted solutions, 516
- X-60 pipeline steel, cyclic crack growth rates in a neutral dilute solution, 581
- Transient current response**
iron-nickel-chromium alloy rotating cylindrical electrodes scribed with a dropped stylus, 800
- Transmission electron microscopy. See also Testing**
Al 3105, filiform corrosion morphologies on painted coil material, 705
- Triazoline**
aluminum, role of imidazolone derivatives in inhibition in hydrochloric acid, 437
- Tropical climates**
steel, corrosion products in tropical climates, 835
- Tubercules**
cast iron pipe, statistical analyses of field data in sandy marine sediments, 156
- Tubing and tubular steel. See also by name; by type; by UNS number; Steel**
API C90 tubular steel, hydrogen accumulation and hydrogen-induced cracking, 762
- Arun field, corrosion management, 72
- tall oil fatty acid anhydrides, inhibitor intermediates, 62
- Tungsten and tungsten alloys. See also Alloys and alloying**
aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675
- tungsten carbide-cobalt lamination dies, failure, 813
- Turbines. See also Reactors; Steam turbines; Utilities**
alloy 718, stress corrosion of single crystals in a light-water reactor, 743
- Turbulence**
pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595
- Type 1018 carbon steel**
tall oil fatty acid anhydrides, inhibitor intermediates, 62
- Type 1022 steel**
automotive fasteners, hydrogen diffusion, 481
- Type 1040 carbon steel**
electrochemical noise resistance to predict corrosion rate, 860
- Type 1079 mild steel**
mild steel, influence of heterocyclic anils on inhibition and hydrogen permeation, 475
- Type 1080 carbon steel**
prestressed concrete, long-term effects of cathodic protection and hydrogen embrittlement, 891
- Type 304 stainless steel**
electrochemical noise measurements for uncoated metals, design aspects, 273
- intergranular stress corrosion crack growth in boiling-water reactors, 306
- intergranular stress corrosion cracking and mechanical response of irradiated thermally sensitized, 778
- intergranular stress corrosion cracking in boiling-water reactor environment, 537
- Type 316 stainless steel**
crack initiation mechanisms for corrosion fatigue, 129
- effects of thiosulfate on stress corrosion cracking, 612
- Type 4037 steel**
automotive fasteners, hydrogen diffusion, 481
- Type 410 stainless steel**
hydrogen embrittlement in sodium chloride-sodium sulfate environments, 499
- Type 4140 steel**
plasma-nitrided steels, influence of chromium, 507
- Type 420 stainless steel**
stochastic analysis of current fluctuations during general corrosion in sulfuric acid, 928
- Type 431 steel**
plasma-nitrided steels, influence of chromium, 507
- Type D-2 steel**
plasma-nitrided steels, influence of chromium, 507
- Type H-13 steel**
plasma-nitrided steels, influence of chromium, 507
- U**
- U-bend testing. See also Testing**
iron aluminide and iron-aluminum alloys, stress corrosion cracking, 356
- Ultramicrotomy. See also Testing**
Al 3105, filiform corrosion morphologies on painted coil material, 705
- Ultrasonic inspection. See also Testing**
API 5L-X52 steel, hydrogen-induced crack growth rate in sour gas, 935
- Underground environments**
carbon steel, effect of hydrogen content on threshold stress intensity, 147
- UNS N08367**
high-alloyed stainless steel, critical crevice temperature in seawater, 26

UNS N08925

high-alloyed stainless steel, critical crevice temperature in seawater, 26

UNS N08932

high-alloyed stainless steel, critical crevice temperature in seawater, 26

UNS S31254

high-alloyed stainless steel, critical crevice temperature in seawater, 26
stainless steels, testing and selection for seawater applications, 955

UNS S31803

stainless steels, testing and selection for seawater applications, 955

UNS S32160

duplex stainless steel, effect of cathodic protection in seawater, 238

UNS S32550

duplex stainless steel, cathodic protection in seawater, 235

high-alloyed stainless steel, critical crevice temperature in seawater, 26

UNS S32750

high-alloyed stainless steel, critical crevice temperature in seawater, 26

UNS S32760

duplex stainless steel, cathodic protection in seawater, 235

high-alloyed stainless steel, critical crevice temperature in seawater, 26

Utilities. See also Steam turbines

flue gas desulfurization systems, impedance spectroscopy to characterize lining performance, 572

V**Vacancies**

aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

Vapor pressure

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

Volume fraction

aluminum composite coatings, corrosion behavior, 880

W**Waste. See also Nuclear waste**

waterwall tubes, field metal spraying in municipal waste incineration plants, 241

Waste water. See also Water

type 316 stainless steel, thiosulfate and stress corrosion cracking, 612

Water. See also High-temperature water; NS4 simulated ground water; Seawater; Waste water

adlayer electrolyte, copper, nickel, and iron, adsorption, 33

Arun field, corrosion management, 72

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

copper, synergistic effects between sodium tripolyphosphate and zinc sulfate, 546

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

real-solution stability diagrams, modeling, 43

staining, Al 3104-H19 can body stock, double crevice assembly method to study staining, 644

zinc coatings, bond strength of electrochemically aged on concrete, 399

Water chemistry. See Hydrogen water chemistry; Normal water chemistry**Waterwall tubes**

field metal spraying in municipal waste incineration plants, 241

Wear

high-strength, low-alloy steel, hydrogen-induced embrittlement in acidic environments, 200

iron-nickel-chromium alloy rotating cylindrical electrodes, transient current response, 800

plasma-nitrided steels, influence of chromium, 507

Weathering steel. See also by name; by type; by UNS number; Steel

carbon and weathering steels, painted in industrial atmospheres, 206

Weight-loss testing. See also Testing

aluminum, role of imidazolone derivatives in inhibition in hydrochloric acid, 437

aluminum-magnesium-zinc alloys, rapidly solidified, 944

Welding and weldments

carbon steel, effect of hydrogen content on threshold stress intensity, 147

carbon steel, metallurgical, mechanical, and welding variables in wet H₂S cracking, 227

high-alloyed stainless steel, critical crevice temperature in seawater, 26

Wetness

steel, corrosion products in tropical climates, 835

Working electrodes. See also Electrodes

pipes, effect of non-flush pipe-wall working electrodes on corrosion rate, 595

X**X****X-52 steel**

low-alloy steel, transgranular stress corrosion cracking in diluted solutions, 516

X-60 pipeline steel

cyclic crack growth rates in a neutral dilute solution, 581

X-65 steel

low-alloy steel, transgranular stress corrosion cracking in diluted solutions, 516

X-ray diffraction. See also Testing

biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

high-nitrogen stainless steel, corrosion and polarization behavior of sensitized, 525

Ni-Cr-Ce alloys, reaction mechanism with chlorine gas at high temperature, 312

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

plasma-nitrided steels, influence of chromium, 507

steel, corrosion products in tropical climates, 835

Ti-6% Al-4% V alloy, effect of sodium sulfide on hydrogen absorption, 374

X-ray photoelectron spectroscopy. See also Testing

aluminum ion implanted with nitrogen, pitting, 556

aluminum-tin alloy, x-ray photoelectron spectroscopy of the oxide film in sodium chloride, 808

aluminum-tungsten system, nitrogen addition by reactive sputter deposition, 675

chromated zinc, corrosion characteristics in sodium chloride, 142

copper, corrosion mechanisms and products in aqueous solutions of varying pH, 389

copper, synergistic effects between sodium tripolyphosphate and zinc sulfate, 546

generator retaining ring steel, effects of implanted and solute arsenic ion on stress corrosion cracking, 730

iron, inhibition in sulfuric acid at elevated temperatures by bismuth(III) compounds, 679

iron, inhibition mechanism of propargyl alcohol in hydrochloric acid, 319

nickel-chromium alloys, high-temperature corrosion in chlorine-water vapor, 365

plasma-nitrided steels, influence of chromium, 507

Y**Yield strength**

austenitic stainless steel, effects of stress and temperature on stress corrosion cracking in magnesium chloride, 448

Z**Zero-resistance ammeter**

electrochemical noise response, modeling of electrode parameters, 770

Zinc and zinc alloys. See also Alloys and alloying

alloy 600, repassivation and crack propagation in 288°C water, 114

aluminum-magnesium-zinc alloys, rapidly solidified, 944

atmospheric corrosion, Fourier transform infrared analysis, 788

automotive fasteners, hydrogen diffusion, 481

bond strength of electrochemically aged on concrete, 399

chromated zinc, corrosion characteristics in sodium chloride, 142

lead-brass alloy, electrochemical impedance spectroscopy to investigate stability, 842

mathematical models for cathodic protection of underground pipelines with holidays, 427

polymer-coated steel, short-term deterioration and behavior of thin polymer films, 381

Zinc sulfate and solutions

copper, synergistic effects between sodium tripolyphosphate and zinc sulfate, 546

Zirconium and zirconium alloys. See also Alloys and alloying

biomedical implant alloys, corrosion and passivity of Ti-13% Nb-13% Zr, 965

dissolution in nitric-hydrofluoric acid, 327

Zr-702

localized corrosion in acidic chloride, 54